

**To:** Meadows, Kelly[Kelly.Meadows@tetrattech.com]  
**From:** Chan, Jennifer  
**Sent:** Tue 3/25/2014 3:13:27 PM  
**Subject:** RE: Schiller and Pilgrim status

Hi Kelly,

I did not see an update on Monday. Is there a partial draft Pilgrim's engineering for Region 1 to review? Biological review – any questions/issues?

thanks

Jennifer Chan

US EPA, OW, OWM

Water Permits Division

chan.jennifer@epa.gov

202-564-3067 (Tues, Wed, Thurs)

**From:** Meadows, Kelly [mailto:Kelly.Meadows@tetrattech.com]  
**Sent:** Tuesday, March 18, 2014 3:57 PM  
**To:** Houlihan, Damien; DeMeo, Sharon M.  
**Cc:** Chan, Jennifer  
**Subject:** RE: Schiller and Pilgrim status

OK—we'll shoot for that, then. We'll have a full update on Monday. I'll be out of the office Thursday and Friday, but feel free to contact John directly if need be.

**From:** Houlihan, Damien [mailto:houlihan.damien@epa.gov]  
**Sent:** Tuesday, March 18, 2014 3:36 PM  
**To:** Meadows, Kelly; DeMeo, Sharon M.  
**Cc:** Chan, Jennifer  
**Subject:** RE: Schiller and Pilgrim status

Thanks, Kelly. I think it would be useful to have at least a partial draft ready for our review. We'd like to keep this moving. So please keep me posted on the status of this before John goes out. Everything else sounds good.

Damien

**From:** Meadows, Kelly [<mailto:Kelly.Meadows@tetrattech.com>]  
**Sent:** Tuesday, March 18, 2014 3:26 PM  
**To:** Houlihan, Damien; DeMeo, Sharon M.  
**Cc:** Chan, Jennifer  
**Subject:** Schiller and Pilgrim status

Hello—

As discussed earlier, here's an update on things:

- The revised memo for Schiller is en route via CBI/FedEx tonight. As requested, we're providing a redline version showing edits since the November edition to aid in your review. Also provided is a "clean" copy. Please note that the clean copy also deleted the two bubbles with unanswered questions from Abt—if you decide you can move ahead without those, then this version should be fine. Abt will be getting back to us soon on these questions, though.

- Pilgrim's engineering review is underway, but John is unlikely to get to a draft work product by Monday. The rulemaking has flared up with detailed cost-related issues and he's the only one that can answer those questions. With signature now less than a month away, unfortunately, Pilgrim had to get bumped. But he didn't note anything in the materials that seemed especially troublesome, so this should come together fairly easily. If things go quickly over the next couple days, there's a chance he could have a partial draft ready, if you think that might be useful to review? Also, we're remaining hopeful that his ability to work from home will come more quickly than the 2-week window, but just don't want to get our hopes up.

- Pilgrim's biological review is also underway and they don't have any questions so

far. But they haven't gotten terribly far into the meat of it, so we'll send any questions we have by tomorrow.

Please let us know if you have any questions.

Thanks

Kelly

**Kelly Meadows** | Environmental Scientist  
Direct: 703.385.2024 | Main: 703.385.6000 | Fax: 703.385.6007  
[kelly.meadows@tetrattech.com](mailto:kelly.meadows@tetrattech.com)

Tetra Tech | Complex World, Clear Solutions

10306 Eaton Place, Suite 340 | Fairfax, VA 22030-2201 | [www.ttwater.com](http://www.ttwater.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system